

Protective hose - WP-STEEL S 10 - 3240686

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Protective hose in stainless steel

Key Commercial Data

Packing unit	1 M
Minimum order quantity	10 M
Weight per Piece (excluding packing)	96.000 g
Custom tariff number	83071000
Country of origin	Germany

Technical data

Dimensions

Inner diameter (f)	8.00 mm
Outside diameter	10.00 mm

Ambient conditions

Ambient temperature (operation)	-200 °C ... 600 °C
---------------------------------	--------------------

General

Color	silver
Type	Spirals
Components	Halogen-free
Material	Stainless steel 1.4301/AISI 304
Bending radius, static	22.00 mm

Classifications

eCl@ss

eCl@ss 4.0	27141131
eCl@ss 4.1	27141131

Protective hose - WP-STEEL S 10 - 3240686

Classifications

eCl@ss

eCl@ss 5.0	27141131
eCl@ss 5.1	27141120
eCl@ss 6.0	27141120
eCl@ss 7.0	27141120
eCl@ss 8.0	27430301

ETIM

ETIM 3.0	EC000897
ETIM 4.0	EC001179
ETIM 5.0	EC001179

UNSPSC

UNSPSC 6.01	30211812
UNSPSC 7.0901	39121410
UNSPSC 11	39121411
UNSPSC 12.01	39121411
UNSPSC 13.2	39121411

Accessories

Accessories

Corrugated pipe screw connection

Screw connection - WP-G BRASS IP40 PG7 - 3241037



Cable gland made from brass with Pg thread, IP40 protection

Screw connection - WP-G BRASS IP40 M10 - 3241044



Cable gland made from brass with metric thread, IP40 protection

Protective hose - WP-STEEL S 10 - 3240686

Accessories

Screw connection - WP-GT BRASS PG7 - 3241023



Cable gland made from brass with Pg thread, rotatable, IP40 protection

Screw connection - WP-GT BRASS M10 - 3241030



Cable gland made from brass with metric thread, rotatable, IP40 protection

Mounting material

Hose clamp - WP-BASE HF 9-10 - 3240965



Hose clamps

Protective cap

Cable protection end sleeve - WP-SC BRASS 10 - 3241065



End sleeves as cable protection, made of brass
